Control Number: GOOG-DOJ-AT-00088452

All Custodians: Ali Nasiri Amini

Custodian: Ali Nasiri Amini

Date/Time Created: 10/30/2019 8:34 PM

Date/Time Sent :

MODIFICATION DATE: 10/30/2019 10:07 PM

File Name: auction

...\_1uMTEVII9HYlwLkkmQd3EOw -\_9ucZ6uwKBlFF71tjWig.pptx

## Part 1:

"Second-Price Auction" was designed to make bidding easy!

Bid = value

aka: truthful bidding
(no bidding optimization)

Google

nfidential + Proprieta

## Second-Price Auctions and "truthful" bidding

If an advertiser knows the value of a click/impression to himself,

then in a second-price auction, he should just bid this value.

- → Bidding is trivial (no optimization needed)
- Well-celebrated theory.
- Served as a cornerstone of Google's ad model success in early days.
- Simplifies advertiser problem: Just tell us the value of a click to you.

Google Confidential + Propriets

## Part 2: Uncertainty in value

Advertiser: But all clicks are not equal to me, I don't know the value of a click before auction but if I win I can measure it!

Significant heterogeneity in value of clicks especially in display ads.


Google

onfidential + Proprietary

## How uncertainty in value impacts bidding?

- 1. Bidding the expected value, "Truthful bidding", is not optimal!
- 2. It is hard to predict due to "censored" training data:

  Observed data is biased! We only observe value of clicks that we won, but we need to predict the value of queries that we are competing for.



Most of

## Hidden information of competition


Allstate and Geico are competing on http://InsuranceReview.com. Geico bids higher for users that already visited its website (Remarketing).


Allstate bids \$1 cpc but sees:


- For 10% of clicks:
  - cpc = \$0.95
  - avg(value) = \$2
- For 90% of clicks
  - cpc = \$0.5
  - avg(value) = \$0.89


avg value over all clicks = \$1

Google











Case 1:23-cv-00108-LMB-JFA Document 1241-7 Filed 08/24/24 Page 10 of 32 PageID# 90956








## HDMI: a market model to predict result of any bidding rule

- Any bidding rule draws a hypersurface that separates the space to "won" vs "lost".
- The goal of the bidding optimization is to separate in a way that we win all users with E[Value - Cost] >0




Google

## HDMI: a market model to predict result of any bidding rule

- Challenge: Build a model for market from partial biased data as buyer often has only access only to whatever he won in the past.
- HDMI recognizes this limitation in data and does appropriate correction.



Google



# Observation: auction discount is much higher on Google Second-price auctions

Exchange	Auction discount = cost / bid
AdX	34%
AdSense	40%
External Exchange	11%

We can not audit the code but we can run experiments to lower the bid on a small fraction of users and see what happens?

Google Confidential + Proprietary

## **Project Poirot**

- Detective Part: Poirot explores the auction space using multiple experiments with various z values.
- Experiment data will be fed into a ML to learn how surplus varies vs bid multiplier in various segment of inventory


 $surplus = \sum_{imp\ i} (value_i - payout_i)$ 




 Judicial Part: Poirot acts as a fair judge an adjusts the advertiser's bid in order to maximize surplus

Google

nfidential + Proprietary





Part 5:
Where we are and Where we want to be?

Google

Contental + Propietery

### Where we are

- We started with the second-price auction to make bidding truthful and easy!
- Even with second-price auction bidding is not trivial. (Bidder should actively model the market).
- Second price auctions is not verifiable. (Unless audit the code!).
- The rest of the market is shifting to the first price auction.


Google Confidential + Proprieta


### Where we will be


- Transparent first-price auction: Highest bidder wins and pays her own bid. But the winner gets to know what the second highest bid was.
- Advantage: No need for bid-lowering experiments for price discovery.
- At Google we are converging to this solution as a step forward but we have not seen all the episodes of this show!

Google Confidential + Propriets











Case 1:23-cv-00108-LMB-JFA Document 1241-7 Filed 08/24/24 Page 27 of 32 PageID# 90973



GDN tcpa







### **V1 Solutions**

- 1) Advertiser can compute E[value] from historical data and use that as the bid.
- 2) E[Value] may vary based on many features.

  Advertisers have access to small subset of them in UI, we has access to a lot more.
- 1) Tell us the value of past clicks and we build a ML to predict E[value] of future clicks based on a long list of impression features.





## Using information in highest other bid (HOB)

At the time of bidding the HOB is not known, however we can calculate expected profit margin for different values for HOB.

There is one value for which the advertiser profit would be zero (break-even point).

By submitting this value as the bid, advertiser buy all of queries with positive "expected" margin and loses the auction for all queries for which he has negative expected margin.

HDMI is the system we built for solving such bidding optimization.

Google Confidential + Proprieta